



# NATURAL THEMES

Native Plant Nursery

& Ecological Services

Frankford, Ontario

## 2026 Catalogue of Species

*Grown for living landscapes, thriving biodiversity, and resilient communities.*

*Availability varies through the season – please inquire anytime.*

*maya@naturalthemes.com | 343-263-4562*

Native plants for home gardens, restoration projects, and natural landscapes.  
Some exceptions may apply.

### WILDFLOWERS/GRASSES/SEDGES

PLUG 2x4" *	\$3.00
3" POT 1st yr	\$4.00
4" POT 2nd/3 <sup>rd</sup> yr	\$6.00
5" POT 2nd/3 <sup>rd</sup> yr+	\$7.50
1 GAL POT	\$10.00

Mix & Match	
Pollinator Packs	\$60.00
x18 1 <sup>st</sup> yr plants	

### VINES

4" POT	\$6.00
1 GAL POT	\$12.00
2 GAL POT	\$20.00

### TREES & SHRUBS

4" POT	\$6.00
1 GAL POT	\$12.00
2 GAL POT	\$20.00

### FERNS

4" POT	\$6.00
1 GAL POT	\$12.00
2 GAL POT	\$20.00

### Volume pricing

50+ plants → 10% off

100+ plants → 15% off

250+ plants → 20% off

Mix species freely, any size.

\* limited species, minimum numbers required, please inquire

Plant height, growing conditions, and range help you choose species suited to your site and project goals.







































































































Native in Eastern Ontario, best for E. ON ecological restorations. Most from locally sourced seed.



























































































































Native to other regions of Ontario, SW Ontario (Carolinian), thrives here, supports wildlife






































































































































































































Native in Eastern North American (not ON), hardy here, supports wildlife

Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
Achillea millefolium	Yarrow	60 cm	 	dry	
Actaea pachypoda	White Baneberry/Doll's Eyes	45-75 cm	 ●	mesic	
Actaea rubra	Red Baneberry	40 cm	 ●	mesic	
Agarata altissima (Eupatorium rugosum)	White Snakeroot	75 cm	 ●	mesic	
Agastache foeniculum	Anise Hyssop	90 cm	 	dry	
Agastache nepetoides	Giant Yellow Hyssop	90 cm	 	dry	
Alisma triviale	Large-flowered Water Plantain	90 cm		moist, wet	
Allium canadense	Wild Garlic	30 cm	 	mesic	
Allium cernuum	Nodding Wild Onion	45 cm	 	dry	
Allium tricoccum	Wild Leek	20 cm	 ●	mesic	
Amsonia tabernaemontana	Eastern Blue Star, Blue Dogbane	75 cm	 	mesic	
Anaphalis margaritacea	Pearly Everlasting	60 cm		dry	
Anemone canadensis	Canada Anemone, Wind Flower	45 cm	 	mesic	
Anemone cylindrica	Thimbleweed, Long-headed Anemone	75 cm	 	dry	
Antennaria neglecta	Field Pussytoes	20 cm		dry	
Antennaria plantaginifolia	Plantain-leaved Pussytoes	20 cm		dry	
Apocynum androsaemifolium	Spreading Dogbane	60 cm	 	dry, mesic, moist	
Apocynum cannabinum	Hemp Dogbane	75 cm	 	dry	
Aquilegia canadensis	Wild Columbine, Honeysuckle	45 cm	  ●	dry, mesic, moist	
Aralia racemosa	Spikenard	90 cm	 ●	mesic, moist	
Arisaema triphyllum	Jack-in-the-pulpit	35 cm	 ●	wet, moist	
Arnoglossum plantagineum	Prairie Indian Plantain	1 m	 	mesic, moist, wet	
Artemisia ludoviciana	White Sage	75 cm	 	mesic	
Aruncus dioicus	Bride's Feathers, Goatsbeard	150 cm		mesic, moist	
Asarum canadense	Wild Ginger	20 cm	 ●	mesic	
Asclepias exaltata	Poke Milkweed	60-180 cm		mesic, moist	
Asclepias incarnata	Swamp Milkweed	90 cm		wet, moist, mesic	
Asclepias speciosa	Showy Milkweed	Up to 90 cm		mesic	
Asclepias sullivantii	Sullivant's Milkweed	60-90 cm		mesic, moist, wet	
Asclepias syriaca	Common Milkweed	120 cm		dry	
Asclepias tuberosa	Butterfly Milkweed	75 cm		dry	
Asclepias verticillata	Whorled Milkweed	45 cm		dry, mesic	
Astragalus neglectus	Cooper's Milk-vetch	30-90 cm	 	dry	
Astragalus canadensis	Canada Milk-vetch	75 cm	 	dry, mesic	
Baptisia alba	White False Indigo	60-150 cm	 	dry, mesic	
Baptisia australis	Blue False Indigo	1 m		dry, mesic	
Baptisia tinctoria	Wild Indigo	30-90 cm	 	dry, mesic	
Blephilia ciliata	Downy Woodmint	60 cm	 	dry, mesic	
Blephilia hirsuta	Hairy Woodmint	75 cm		dry, mesic, moist	
Calla palustris	Water Arum	15-30 cm	 ●	moist	
Callirhoe involucrata	Purple Poppy Mallow	25 cm		dry	
Caltha palustris	Marigold, Marsh	45 cm	 	wet, moist	
Camassia scilloides	Wild Hyacinth	45 cm	 ●	mesic	

Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
<i>Campanula americana</i>	Tall Bellflower	1 m	 	mesic	
<i>Campanula rotundifolia</i>	Harebell	30 cm	 	dry, mesic	
<i>Cassia (Senna) hebecarpa</i>	Wild Senna	125 cm	 	dry, mesic	
<i>Caulophyllum thalictroides</i>	Blue Cohosh	60 cm	 	mesic	
<i>Cerastium arvense</i>	Field Chickweed	10–25 cm	 	dry, mesic	
<i>Chamaemerion (Epilobium) angustifolium</i>	Fireweed	1m +		dry, mesic, moist	
<i>Chelone glabra</i>	Turtlehead	75 cm	 	mesic, moist	
<i>Cirsium discolor</i>	Field Thistle	180 cm	 	dry, mesic	
<i>Cirsium muticum</i>	Swamp Thistle	2m	 	wet, moist	
<i>Claytonia virginica</i>	Spring Beauty	12 cm		wet, mesic	
<i>Conoclinium coelestinum</i>	Mistflower	60 cm	 	moist	
<i>Coreopsis lanceolata</i>	Lance-leaved Coreopsis	30-90 cm	 	dry, mesic	
<i>Coreopsis tripteris</i>	Tall Coreopsis	1 m +		mesic	
<i>Corydalis sempervirens</i>	Pale Corydalis	35 cm	 	dry	
<i>Crocianthemum canadense</i>	Canada Frostweed	10-30 cm		dry	
<i>Cryptotaenia canadensis</i>	Honewort	60 cm	 	moist, mesic	
<i>Dalea candida</i>	White Prairie Clover	50 cm	 	dry	
<i>Dalea purpurea</i>	Purple Prairie Clover	50 cm	 	dry	
<i>Desmodium canadense</i>	Showy Tick-Trefoil	1 m +	 	dry, mesic	
<i>Desmodium glutinosum</i>	Pointed-leaved Tick-trefoil	30-100	 	dry, mesic, moist	
<i>Dicentra cucullaria</i>	Dutchman's Breeches	16 cm	 	mesic	
<i>Dodecatheon meadia</i>	Eastern Shooting Star	40 cm	 	mesic	
<i>Doellingeria umbellata</i>	Flat-topped Aster	150 cm	 	dry, mesic, moist	
<i>Drymocallis (Potentilla) arguta</i>	Prairie Cinquefoil	50 cm	 	dry	
<i>Echinacea angustifolia</i>	Narrow-leaf Purple Coneflower	30-90 cm	 	dry, mesic	
<i>Echinacea pallida</i>	Pale Purple Coneflower	90-150 cm	 	dry, mesic	
<i>Echinacea purpurea</i>	Purple Coneflower	1 m	 	dry, mesic	
<i>Eryngium yuccifolium</i>	Rattlesnake master	75 cm	 	dry, mesic	
<i>Erythronium americanum</i>	Yellow Trout Lily	15 cm	 	mesic, moist	
<i>Eupatorium perfoliatum</i>	Boneset	90 cm	 	moist, mesic	
<i>Euphorbia corollata</i>	Flowering Spurge	30-90 cm	 	dry, mesic	
<i>Eurybia divaricata</i>	White Wood Aster	45-60 cm		dry, mesic	
<i>Eurybia macrophylla</i>	Large-leaved Aster	45-60 cm	 	mesic, moist	
<i>Euthamia graminifolia</i>	Grass-leaved/Flat-topped Goldenrod	90 cm	 	dry, mesic, moist	
<i>Eutrochium maculatum</i>	Spotted Joe-pye Weed	1 m +	 	wet, moist	
<i>Filipendula rubra</i>	Queen of the Prairie	60-240 cm		moist	
<i>Fragaria vesca</i>	Woodland Strawberry	10 cm	 	mesic	
<i>Fragaria virginiana</i>	Wild Strawberry	10 cm	 	dry, mesic	
<i>Galium boreale</i>	Northern Bedstraw	60 cm	 	wet, dry	
<i>Gaura biennis</i>	Biennial Gaura (Beeblossom)	150 cm	 	dry	
<i>Gentiana andrewsii</i>	Bottle Gentian	45 cm	 	mesic	
<i>Gentianopsis crinita</i>	Greater Fringed Gentian	30-60 cm	 	mesic, moist	




























































Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
<i>Gentianopsis virgata</i>	Lesser Fringed Gentian	15-45 cm	 	mesic, moist	
<i>Geranium maculatum</i>	Wild Geranium	45 cm	 	mesic	
<i>Geranium robertianum</i>	Herb Robert	40 cm	 	mesic	
<i>Geum aleppicum</i>	Yellow Avens	90 cm	 	moist	
<i>Geum rivale</i>	Water or Purple Avens	30-60 cm	 	moist	
<i>Geum triflorum</i>	Prairie Smoke	15-45 cm	 	dry	
<i>Gillenia (Porteranthus) trifoliata(us)</i>	Bowman's Root	75 cm	 	mesic, moist	
<i>Glycyrrhiza lepidota</i>	Wild Licorice	60 cm		dry, mesic, moist	
<i>Helenium autumnale</i>	Sneezeweed	1 m	 	dry, mesic, moist	
<i>Helenium flexuosum</i>	Purple-headed Sneezeweed	60-100	 	moist	
<i>Helianthus divaricatus</i>	Woodland Sunflower	1 m +	 	dry, mesic	
<i>Helianthus giganteus</i>	Tall Sunflower	2 m +		moist, mesic	
<i>Helianthus maximilliani</i>	Maximillian's Sunflower	2 m	 	dry, mesic	
<i>Helianthus mollis</i>	Downy/Ashy Sunflower	1 m +	 	dry, mesic	
<i>Helianthus strumosus</i>	Pale-leaved Woodland Sunflower	60-180 cm	 	dry, mesic, moist	
<i>Helianthus tuberosus</i>	Jerusalem Artichoke	2 m +	 	dry	
<i>Heliopsis helianthoides</i>	Ox-eye, False Sunflower	1 m +	 	dry, mesic	
<i>Hepatica acutiloba</i>	Sharp-lobed Hepatica	15 cm	 	mesic	
<i>Heuchera richardsonii</i>	Prairie Alumroot	30-60 cm		dry	
<i>Hibiscus moscheutos</i>	Marsh Hibiscus/ Swamp Rose Mallow	1.5 m+	 	moist, mesic	
<i>Houstonia canadensis</i>	Canadian Summer Bluet	5-15 cm	 	mesic, moist, dry	
<i>Houstonia longifolia</i>	Long-leaved Bluets	15 cm	 	dry, mesic	
<i>Hydrophyllum appendiculatum</i>	Great Waterleaf	30-60 cm	 	moist, wet	
<i>Hydrophyllum virginianum</i>	Virginia Waterleaf	30-60 cm	 	mesic	
<i>Hypericum ascyron subsp. pyramidatum</i>	Great St John's Wort	1 m	 	mesic, moist	
<i>Impatiens capensis</i>	Spotted Touch-me-not (Jewelweed)	1 m	 	moist, wet	
<i>Iris versicolor</i>	Blue Flag	45 cm	 	wet, moist	
<i>Lespedeza capitata</i>	Round-headed Bush Clover	1 m	 	dry	
<i>Liatris aspera</i>	Rough Blazing Star	1 m	 	dry	
<i>Liatris cylindracea</i>	Cylindrical Blazing Star	40-60 cm	 	dry	
<i>Liatris ligulistylus</i>	Meadow Blazing Star	30-90 cm	 	dry, mesic	
<i>Liatris spicata</i>	Dense Blazing Star	90-150 cm	 	dry, mesic, moist	
<i>Lilium canadense</i>	Canada Lily	90 cm	 	moist, mesic	
<i>Lilium michiganese</i>	Michigan Lily	1 m+	 	mesic, moist	
<i>Lilium philadelphicum</i>	Prairie (Wood) Lily	30 cm	 	dry, mesic	
<i>Lilium superbum</i>	Turk's Cap Lily, Swamp Lily	150 cm	 	moist, mesic	
<i>Lobelia cardinalis</i>	Cardinal Flower	90 cm	 	moist	
<i>Lobelia inflata</i>	Indian Tobacco	60 cm	 	dry, mesic	
<i>Lobelia siphilitica</i>	Great Lobelia (blue)	60 cm	  	moist, mesic	
<i>Lobelia spicata</i>	Pale-spiked Lobelia	75 cm	 	dry, mesic	
<i>Lupinus perennis</i>	Wild Lupine	30-60 cm	 	dry	
<i>Lycopus americanus</i>	American Horehound	60 cm	 	wet, moist	







































Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
<i>Lysimachia ciliata</i>	Fringed Loosestrife	30-120 cm		moist	
<i>Lythrum alatum</i>	Winged Loosestrife	90 cm		moist, wet	
<i>Maianthemum (Smilacina) racemosum</i>	Solomon's Seal, False	75 cm	 ●	mesic	
<i>Maianthemum canadense</i>	Canada Mayflower	15 cm	 ●	mesic	
<i>Maianthemum stellatum</i>	Solomon's Seal, Starry False	20-60	 ●	mesic, dry-mesic	
<i>Mentha arvensis</i>	Wild Mint	15-60 cm	 	moist, mesic	
<i>Mertensia virginica</i>	Virginia Bluebells	45 cm	 ●	moist, mesic	
<i>Micranthes virginianensis</i>	Early Saxifrage	Up to 30 cm	 ●	dry, mesic	
<i>Mimulus ringens</i>	Square-stemmed Monkey Flower	60 cm	 	moist, wet	
<i>Mitella diphylla</i>	Mitrewort	25-45 cm	 ●	moist, mesic	
<i>Monarda didyma</i>	Monarda (Bee Balm)	1 m	 	moist, mesic	
<i>Monarda fistulosa</i>	Wild Bergamot	90 cm	 	dry, mesic	
<i>Monarda punctata</i>	Dotted Mint/Spotted Bee Balm	75 cm	 	dry, mesic	
<i>Oenothera biennis</i>	Evening Primrose	1 m +	 	dry	
<i>Oenothera macrocarpa</i>	Missouri Primrose	40 cm	 	dry	
<i>Oenothera pilosella</i>	Prairie Sundrops	50 cm		mesic	
<i>Oligoneuron (Solidago) ohioensis</i>	Ohio Goldenrod	1 m	 	moist, mesic, dry	
<i>Oligoneuron (Solidago) rigidum</i>	Hard-leaved (Stiff) Goldenrod	90 cm	 	dry, mesic	
<i>Opuntia humifusa</i>	Eastern Prickly Pear Cactus	15 cm		dry	
<i>Packera aurea</i>	Golden Ragwort	60 cm	 	moist, mesic, wet	
<i>Parnassia glauca</i>	Grass of Parnassus	30 cm	 	moist	
<i>Parthenium integrifolium</i>	Wild Quinine	30-120 cm	 	dry, mesic, moist	
<i>Penstemon digitalis</i>	Foxglove Beardtongue	1 m		dry, mesic, moist	
<i>Penstemon hirsutus</i>	Hairy Beardtongue	60 cm	 	dry	
<i>Phlox divaricata</i>	Wild Blue Phlox	30 cm	 ●	mesic	
<i>Phlox paniculata</i>	Fall Phlox	90-120	 	moist, mesic, dry	
<i>Phlox pilosa</i>	Prairie Phlox, Downy Phlox	60 cm	 	dry, mesic	
<i>Physostegia virginiana</i>	Obedient Plant	75 cm	 	moist, mesic	
<i>Podophyllum peltatum</i>	Mayapple	45 cm	 ●	mesic, moist	
<i>Polemonium reptans</i>	Jacob's Ladder	40 cm	 ●	moist, mesic	
<i>Polygonatum biflorum var commutatum</i>	Great/Crested Solomon's Seal	1 m +	 ●	mesic, moist	
<i>Polygonatum pubescens</i>	Hairy Solomon's Seal	60 cm	 ●	mesic	
<i>Pontederia cordata</i>	Pickerelweed	30-120		wet	
<i>Primula mistassinica</i>	Bird's eye primrose	8 cm	 	moist, wet	
<i>Prunella vulgaris</i>	Heal-all, Self-heal	20 cm	 	mesic, dry	
<i>Pulsatilla nuttalliana</i>	Eastern Pasque Flower	15 cm		dry	
<i>Pycnanthemum muticum</i>	Blunt Mountain Mint	60 cm	 	mesic	
<i>Pycnanthemum pilosum</i>	Hairy Mountain Mint	75 cm	 	mesic	
<i>Pycnanthemum tenuifolium</i>	Slender Mountain Mint	45 cm	 	dry, mesic	
<i>Pycnanthemum virginianum</i>	Virginia Mountain Mint	50 cm	 	dry, mesic	
<i>Ranunculus fascicularis</i>	Early Buttercup	15 cm	 	dry	
<i>Ranunculus rhomboideus</i>	Prairie Buttercup	15 cm	 	dry, mesic	



Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
Ratibida columnifera	Prairie Coneflower	75 cm	 	dry	
Ratibida pinnata	Gray-headed Coneflower	1 m		dry, mesic	
Rudbeckia hirta	Black-eyed Susan	75 cm		dry, mesic	
Rudbeckia laciniata	Green-headed Coneflower	1 m +	 	mesic, moist	
Rudbeckia subtomentosa	Sweet Black-eyed Susan	1 m	 	mesic, moist	
Rudbeckia triloba	Branched Coneflower	1 m	 	dry, mesic, moist	
Ruellia humilis	Wild Petunia	30 cm	 	mesic	
Sagittaria latifolia	Broad-leaved Arrowhead	30 cm	 	wet, emergent	
Salvia azurea	Blue Sage	1+ m	 	mesic	
Sanguinaria canadensis	Bloodroot	20 cm	 	mesic	
Sarracenia purpurea	Pitcher Plant	45 cm	 	wet, moist	
Scrophularia lanceolata	Figwort	90-240 cm	 	mesic, moist	
Scrophularia marilandica	Late Figwort	150 cm	 	mesic, moist	
Scutellaria incana	Downy Skullcap	60-90 cm	 	mesic, moist	
Silene regia	Royal Catchfly	1 m		dry, mesic	
Silphium integrifolium	Rosinweed	1 m +		mesic	
Silphium laciniatum	Compass Plant	2.5 m		dry, mesic	
Silphium perfoliatum	Cup Plant	2 m +	 	moist, mesic, dry	
Silphium terebinthinaceum	Prairie Dock	2 m +		moist, mesic, dry	
Sisyrinchium angustifolium	Stout Blue-eyed Grass	15 cm	 	moist, mesic, dry	
Sisyrinchium montanum	Strict Blue-eyed Grass	10-25 cm	 	moist, mesic, dry	
Solidago caesia	Blue-stemmed Goldenrod	30-90 cm	 	dry, mesic	
Solidago flexicaulis	Zigzag/Broad-leaved Goldenrod	60 cm	 	moist, mesic	
Solidago ptarmicoides	Upland White Goldenrod	30-60 cm	 	dry	
Solidago rugosa	Wrinkle-leaf Goldenrod	1m+	 	mesic, wet	
Stylophorum diphyllum	Wood Poppy	45 cm	 	mesic	
Symphotrichum (Aster) ericoides	Heath Aster	1 m	 	dry, mesic	
Symphotrichum (Aster) laeve	Smooth Aster	75 cm	 	dry, mesic	
Symphotrichum (Aster) novae-angliae	New England Aster	150 cm	 	dry, mesic	
Symphotrichum (Aster) sericeum	Silky Aster	45 cm	 	dry	
Symphotrichum (Aster) shortii	Short's Aster	90 cm	 	mesic, dry, moist	
Symphotrichum cordifolium	Heart-leaved Aster, Blue Wood Aster	75 cm	 	mesic	
Symphotrichum lanceolatum	Panicled Aster	1m +		mesic, moist	
Symphotrichum oolentangiense	Sky Blue Aster	60-90 cm	 	dry	
Symphotrichum puniceum	Swamp Aster	1.5 m	 	wet	
Taenidia integerrima	Yellow Pimpernel	90 cm	 	mesic, dry	
Tephrosia virginiana	Goat's Rue	45 cm	  	dry	
Teucrium canadense	Canadian Germander	60 cm	 	moist, mesic, dry	
Thalictrum dasycarpum	Purple Meadow-rue	1.5 m	 	mesic, moist	
Thalictrum dioicum	Early Meadow-rue	30-60 cm	 	mesic, moist	
Thalictrum pubescens	Tall Meadow-rue	150 + cm	 	moist	
Tiarella cordifolia	Heartleaf Foamflower	20 cm	 	mesic	

Botanical Name	Common Name	Height	Light	Moisture	
<b>WILDFLOWERS</b>					
Tiareella stolonifera	Creeping Foamflower	10-20	●	mesic	
Tradescantia ohiensis	Spiderwort	40 cm		mesic, dry	
Trillium erectum	Trillium, Red	18-40 cm	●	mesic, moist	
Trillium grandiflorum	Trillium, White	40 cm	●	mesic, moist	
Triosteum perfoliatum	Feverwort/Perfoliate Tinker's-Weed	75 cm		moist	
Uvularia grandiflorum	Large-flowered Bellwort	30 cm	●	moist	
Uvularia sessilifolia	Spreading Bellwort, Wild Oats	15-30 cm	●	mesic, moist	
Verbena hastata	Vervain, Blue	1 m		moist, mesic, dry	
Verbena simplex	Narrow-leaved Vervain	60 cm		dry	
Verbena stricta	Hoary Vervain	75 cm		dry	
Vernonia missurica	Missouri Ironweed	1.5 m		mesic	
Vernonia noveboracensis	New York Ironweed	1.5 m		moist	
Veronicastrum virginicum	Culver's Root	1 m		mesic, moist	
Viola nephrophylla	Northern Bog Violet	up to 25 cm		moist, wet, dry	
Viola pedata	Bird's Foot Violet	15 cm		dry, mesic	
Viola pedatifida	Prairie Violet	15 cm		dry, mesic	
Viola sororia	Common Blue Violet	15 cm	●	dry, mesic, moist	
Zizia aptera	Heart-leaved Alexander	45 cm		mesic	
Zizia aurea	Golden Alexanders	45 cm		mesic, moist	

GRASSES & SEDGES			Light	Moisture	
<i>Andropogon gerardii</i>	Big Bluestem, Turkey Claw, BeardGrass/Sedge	1 m +		dry, mesic, moist	
<i>Bouteloua curtipendula</i>	Side Oats Grama, Mesquite	65 cm		dry, mesic	
<i>Bouteloua gracilis</i>	Blue Grama	30 cm		dry, mesic	
<i>Bromus ciliatus</i>	Fringed Brome	100 cm		mesic, moist	
<i>Bromus kalmii</i>	Kalm's, Prairie Brome	60 cm		dry, mesic, moist	
<i>Calamagrostis canadensis</i>	Canada Blue Joint	1 m		moist, wet	
<i>Carex aurea</i>	Golden-fruited Sedge	20-40 cm		moist, wet	
<i>Carex bebbii</i>	Bebb's Oval Sedge	50 cm		moist, wet	
<i>Carex blanda</i>	Common Wood Sedge	50 cm		mesic, moist	
<i>Carex crinita</i>	Fringed Sedge	80 cm		moist, wet	
<i>Carex gracilescens</i>	Slender Wood Sedge	50 cm		mesic	
<i>Carex grayi</i>	Common Bur Sedge	80 cm		mesic, moist	
<i>Carex muskingumensis</i>	Palm Sedge	80 cm		moist, wet	
<i>Carex pedunculata</i>	Long-stalk Sedge	10-25 cm		dry, mesic	
<i>Carex pensylvanica</i>	Pennsylvania Sedge	15-20 cm		dry, mesic	
<i>Carex plantaginea</i>	Plantain-leaved Sedge, Wood Rush	20 cm		mesic, moist	
<i>Carex radiata</i>	Straight-styled Wood Sedge	20-30 cm		mesic	
<i>Carex rosea</i>	Rosey Sedge	25 cm		mesic	
<i>Carex stricta</i>	Common Tussock Sedge	80 cm		moist, wet	
<i>Carex typhina</i>	Cattail Sedge	25 cm		moist, wet	
<i>Carex vulpinoidea</i>	Fox Sedge	up to 1 m		moist, wet	
<i>Chasmantheum latifolium</i>	River Oats	80 cm		mesic, moist	
<i>Danthonia spicata</i>	Poverty Oat Grass	30-60 cm		dry	
<i>Deschampsia cespitosa</i>	Tufted Hair Grass	75 cm		mesic, moist	
<i>Dulichium arundinaceum</i>	Three Way Sedge	30-90 cm		moist, wet	
<i>Elymus canadensis</i>	Canada Wild Rye	1 m +		dry, mesic	
<i>Elymus trachycaulus</i>	Slender Wheat Grass	60 cm		dry, mesic	
<i>Elymus villosus</i>	Silky Wild Rye	80 cm		mesic, moist	
<i>Elymus virginicus</i>	Virginia Wild Rye	90 cm		mesic, moist	
<i>Eragrostis spectabilis</i>	Purple Love Grass	30 cm		dry, mesic	
<i>Hierochloa odorata</i>	SweetGrass, Holy Grass, Vanilla Grass	45 cm		mesic, moist	
<i>Hordeum jubatum</i>	Squirrel-tail Grass	30-60 cm		dry	
<i>Hystrix (Elymus) patula</i>	Bottlebrush Grass	90 cm		mesic	
<i>Juncus effusus</i>	Soft Rush	1 m		moist, wet	
<i>Koeleria macrantha</i>	June Grass	50 cm		dry, mesic	
<i>Panicum virgatum</i>	Switch Grass	1 m+		dry, mesic, moist	
<i>Schizachyrium scoparium</i>	Little Bluestem, Broom Beard Grass	1 m		dry, mesic	
<i>Scirpus atrovirens</i>	Dark Green Bulrush	1 m		wet	
<i>Sorghastrum nutans</i>	Yellow Prairie Grass	1 m +		dry, mesic	
<i>Spartina pectinata</i>	Prairie Cordgrass	1 m+		moist, wet	
<i>Sporobolus heterolepis</i>	Prairie Dropseed, Northern Dropseed	45 cm		dry, mesic	

<b>VINES</b>		<b>Vine Length</b>	<b>Light</b>	<b>Moisture</b>	
<i>Apios americana</i>	American Groundnut	1–3 m	 	mesic	
<i>Campsis radicans</i>	Trumpet Creeper	10–15 m	 	mesic	
<i>Celastrus scandens</i>	Bittersweet	6–10 m	  	mesic	
<i>Dioscorea villosa</i>	Wild Yam	3–5 m	 	mesic	
<i>Clematis virginiana</i>	Virgin's Bower	3–6 m	 	mesic	
<i>Menispermum canadense</i>	Canada Moonseed	3–6 m	 	mesic, moist	
<i>Parthenocissus vitacea</i>	Virginia Creeper	10–20 m	  	mesic	
<i>Vitis riparia</i>	Riverbank Grape	10–15 m	 	mesic	
<i>Clematis occidentalis</i>	Purple Clematis	1–3 m	 	mesic	
<i>Smilax herbacea</i>	Carrion Flower	2–4 m	 	mesic	
<b>FERNS</b>		<b>Height</b>	<b>Light</b>	<b>Moisture</b>	
<i>Adiantum pedatum</i>	Maidenhair Fern	30-60 cm	 	mesic	
<i>Athyrium filix-femina</i>	Lady Fern	60-120 cm	 	mesic	
<i>Cystopteris bulbifera</i>	Bulblet Fern	30-60 cm	 	mesic	
<i>Dryopteris marginalis</i>	Wood Fern	60 cm	 	mesic	
<i>Matteuccia struthiopteris</i>	Ostrich Fern	90-180 cm	 	moist	
<i>Onoclea sensibilis</i>	Sensitive Fern	45-90 cm	 	moist	
<i>Osmunda cinnamomea</i>	Cinnamon Fern	60-150 cm	 	moist	
<i>Osmunda regalis</i>	Royal Fern	1-1.5 m	 	moist	
<i>Polystichum acrostichoides</i>	Christmas Fern	30-60 cm	 	mesic	

TREES		Height	Light	Moisture	
<i>Abies balsamea</i>	Balsam Fir	25 m	  	mesic, moist	
<i>Acer nigrum</i>	Black Maple	20 m	  	mesic, moist	
<i>Acer pensylvanicum</i>	Striped Maple	10 m	 	mesic, moist	
<i>Acer rubrum</i>	Red Maple	25 m	 	mesic, moist	
<i>Acer saccharum</i>	Sugar Maple	25 m	  	mesic, moist	
<i>Acer sacharinum</i>	Silver Maple	25 m	 	mesic, moist, wet	
<i>Acer x freemanii</i>	Freeman's Maple (Red Maple x Silver Maple)	20 m	  	mesic, moist, wet	
<i>Amelanchier laevis</i>	Alleghany / Smooth Serviceberry	10 m	  	dry, mesic, moist	
<i>Asimina triloba</i>	Pawpaw	10 m	 	mesic, moist	
<i>Betula alleghaniensis</i>	Yellow Birch	25 m	 	mesic, moist	
<i>Betula nigra</i>	River Birch	25 m	 	moist, wet	
<i>Betula papyrifera</i>	White Birch	25 m	 	dry, mesic, moist	
<i>Carpinus caroliniana</i>	Blue Beech (Ironwood)	8 m	  	mesic, moist	
<i>Carya cordiformis</i>	Bitternut Hickory	25 m	 	mesic, moist	
<i>Carya ovata</i>	Shagbark Hickory	25 m	 	mesic, moist	
<i>Catalpa speciosa</i>	Northern Catalpa	20 m	 	dry, mesic, moist	
<i>Celtis occidentalis</i>	Hackberry	15 m	 	dry, mesic	
<i>Cercis canadensis</i>	Redbud	8 m	 	mesic, moist	
<i>Chionanthus virginicus</i>	Fringe Tree	5 m	 	dry, mesic, moist	
<i>Crataegus spp</i>	Hawthorn spp.	8 m	 	dry, mesic, moist	
<i>Diospyros virginiana</i>	American Persimmon	10 m	  	mesic, moist	
<i>Gleditsia triacanthos</i>	Honey Locust	20 m		dry, mesic	
<i>Gymnocladus dioicus</i>	Kentucky Coffee Tree	25 m		dry, mesic	
<i>Juglans nigra</i>	Black Walnut	25 m		mesic, moist	
<i>Juniperus virginiana</i>	Red Cedar	12 m	 	dry, mesic	
<i>Larix laricina</i>	Tamarack	20 m		moist, wet	
<i>Liriodendron tulipifera</i>	Tulip Tree	25 m		mesic, moist	
<i>Maclura pomifera</i>	Osage Orange	9 m		dry, mesic, moist	
<i>Nyssa sylvatica</i>	Black Gum	20 m	 	mesic, moist	
<i>Ostrya virginiana</i>	Hop Hornbeam	12 m	  	dry, mesic, moist	
<i>Picea glauca</i>	White Spruce	20 m		mesic	
<i>Pinus banksiana</i>	Jack Pine	20 m		dry, mesic	
<i>Pinus resinosa</i>	Red Pine	25 m		dry	
<i>Pinus strobus</i>	White Pine	30 m	 	dry, mesic, moist	
<i>Platanus occidentalis</i>	American Sycamore	25 m		mesic, moist, wet	
<i>Populus balsamifera</i>	Balsam Poplar	25 m		mesic, moist	
<i>Populus deltoides</i>	Cottonwood	25 m		mesic, moist	
<i>Populus grandidentata</i>	Big Tooth Aspen	20 m		dry, mesic, moist	

TREES		Height	Light	Moisture	
<i>Populus tremuloides</i>	Trembling Aspen	25 m		dry, mesic, moist	
<i>Prunus americana</i>	Wild Plum	6 m	 	mesic, moist	
<i>Prunus pensylvanica</i>	Pin Cherry (Fire Cherry)	12 m	 	dry, mesic, moist	
<i>Prunus serotina</i>	Black Cherry	22 m	 	mesic, moist	
<i>Ptelea trifoliata</i>	Hop Tree, Wafer Ash	8 m	 	dry, mesic	
<i>Quercus alba</i>	White Oak	25 m	 	dry, mesic	
<i>Quercus bicolor</i>	Swamp White Oak	20 m	 	moist, wet	
<i>Quercus macrocarpa</i>	Bur Oak	25 m		dry, mesic	
<i>Quercus muehlenbergii</i>	Chinquapin Oak	24 m	 	dry, mesic, wet	
<i>Quercus palustris</i>	Pin Oak	18 m	 	moist	
<i>Quercus rubra</i>	Red Oak	20 m		dry, mesic	
<i>Quercus velutina</i>	Black Oak	18 m		dry, mesic	
<i>Salix bebbiana</i>	Beaked (Bebb's) Willow	6 m		moist, wet	
<i>Salix nigra</i>	Black Willow	15-25m		moist	
<i>Sorbus americana</i>	American Mountain Ash	8 m		mesic, moist	
<i>Thuja occidentalis</i>	White Cedar	12 m	 	mesic, moist	
<i>Tilia americana</i>	Basswood	25 m	 	dry, mesic, moist	
<i>Tsuga canadensis</i>	Canadian Hemlock	25 m	 	mesic, moist	

SHRUBS		Height	Light	Moisture	
<i>Acer spicatum</i>	Mountain Maple	5 m		mesic, moist	
<i>Alnus incana</i> spp. <i>rugosa</i>	Speckled Alder/Gray Alder	5 m		moist, wet	
<i>Amelanchier alnifolia</i>	Saskatoon Serviceberry	3 m		dry, mesic, moist	
<i>Amelanchier canadensis</i>	Shadblow Serviceberry	4.5 m		mesic	
<i>Amelanchier stolonifera</i>	Running Serviceberry	1.5 m		mesic	
<i>Amorpha canescens</i>	Leadplant	up to 1 m		dry	
<i>Amorpha fruticosa</i>	False Indigo Bush	3 m		dry, mesic	
<i>Arctostaphylos uva-ursi</i>	Bearberry	10 cm		dry	
<i>Aronia melanocarpa</i>	Black Chokeberry	1.5 m		dry, mesic, moist, wet	
<i>Betula pumila</i>	Dwarf/Bog Birch	1-3 m		moist, wet	
<i>Ceanothus americanus</i>	New Jersey Tea	< 1m		dry, mesic	
<i>Ceanothus herbaceus</i>	Prairie Redroot, Jersey Tea	30-90 cm		dry	
<i>Cephalanthus occidentalis</i>	Buttonbush	2 m		moist, wet	
<i>Comptonia peregrina</i>	Sweet Fern	60-90 cm		dry, mesic	
<i>Cornus alternifolia</i>	Pagoda/Alternate-leaved Dogwood	5 m		moist	
<i>Cornus amomum</i> ; <i>Cornus obliqua</i>	Silky Dogwood	3 m		moist	
<i>Cornus canadensis</i>	Bunchberry	< 20 cm		mesic, moist, wet	
<i>Cornus florida</i>	Flowering Dogwood	6 m		mesic, moist	
<i>Cornus racemosa</i> , <i>Cornus foemina</i>	Gray Dogwood	2 m		mesic, moist	
<i>Cornus rugosa</i>	Round-leaved Dogwood	3 m		mesic, moist	
<i>Cornus sericea</i>	Red Osier Dogwood	2.5 m		mesic, moist, wet	
<i>Corylus americana</i>	American Hazelnut	2 m		mesic	
<i>Diervilla lonicera</i>	Bush Honeysuckle	< 1 m		dry, mesic, moist	
<i>Euonymus obovatus</i>	Running Strawberry-bush	trailing		mesic	
<i>Gaultheria procumbens</i>	Wintergreen	10-15 cm		mesic, moist	
<i>Hamamelis virginiana</i>	Witch Hazel	3.5 m		mesic, moist	
<i>Hypericum kalmianum</i>	Kalm's St. John's wort	1 m		dry, mesic, moist	
<i>Hypericum prolificum</i>	Shrubby St. John'swort	1 m		mesic	
<i>Ilex verticillata</i>	Winterberry	3.5 m		moist, wet	
<i>Juniperus communis</i>	Common Juniper/Ground Juniper	1.5 m		dry, mesic	
<i>Lindera benzoin</i>	Spicebush	3 m		mesic, moist	
<i>Lonicera canadensis</i>	Fly Honeysuckle	1-2 m		mesic, moist	
<i>Mitchella repens</i>	Partridgeberry	ground cover		mesic	
<i>Morella/Myrica pensylvanica</i>	Northern Bayberry	2-3 m		dry, mesic, wet	
<i>Myrica gale</i>	Sweet Gale/Bog Myrtle	1 m		moist, wet	
<i>Physocarpus opulifolius</i>	Ninebark	2.5 m		dry, mesic, moist	
<i>Potentilla (Dasifora) fruticosa</i>	Shrubby Cinquefoil	1 m		dry, mesic, moist	
<i>Prunus pumila</i>	Sand Cherry	2 m		dry, mesic, moist	
<i>Prunus virginiana</i>	Chokecherry	4-9 m		dry, mesic	
<i>Rhus aromatica</i>	Fragrant Sumac	1.5 m		dry, mesic	
<i>Rhus typhina</i>	Staghorn Sumac	6 m		mesic, moist	

SHRUBS		Height	Light	Moisture	
<i>Ribes americanum</i>	Wild Black Currant	3-5 m		mesic, moist	
<i>Ribes aureum</i>	Golden Currant	1-3 m		dry, mesic	
<i>Ribes cynosbati</i>	Prickly Gooseberry	1 m		dry, mesic	
<i>Rosa acicularis</i>	Prickly Wild Rose	1-3 m		dry, mesic, moist	
<i>Rosa blanda</i>	Smooth Wild Rose	>1 m		dry, mesic, moist	
<i>Rosa carolina</i>	Pasture Rose	>1 m		mesic, moist, wet	
<i>Rosa palustris</i>	Swamp Rose	>1 m		mesic	
<i>Rosa setigera</i>	Climbing Rose	1.5-4 m		dry, mesic	
<i>Rubus allegheniensis</i>	Alleghany Blackberry	2 m		dry, mesic	
<i>Rubus idaeus</i>	Wild Red Raspberry	1 m		dry, mesic	
<i>Rubus occidentalis</i>	Black Raspberry	2 m		dry, mesic, moist	
<i>Rubus odoratus</i>	Purple Flowering Raspberry	1.5 m		moist	
<i>Salix candida</i>	Sageleaf Willow	1-3 m		moist, wet	
<i>Salix discolor</i>	Pussy Willow	4 m		moist	
<i>Sambucus canadensis</i>	Black Elderberry	3 m		mesic, moist	
<i>Sambucus racemosa</i>	Red Elderberry	3 m		dry, mesic, moist	
<i>Shepherdia canadensis</i>	Canada Soapberry/Buffalo-berry	2 m		mesic, moist, wet	
<i>Spiraea alba</i>	Narrow-leaved Meadowsweet	1 m		mesic, moist, wet	
<i>Spiraea alba</i> var. <i>latifolia</i>	Broad-leaved Meadowsweet	1.5 m		mesic, moist	
<i>Spiraea tomentosa</i>	Steeplebush	1 m		moist	
<i>Staphylea trifolia</i>	Bladdernut	6 m		dry, mesic, moist	
<i>Symphoricarpos albus</i>	Common Snowberry	1 m		dry, mesic	
<i>Vaccinium macrocarpon</i>	Cranberry	trailing		mesic, moist	
<i>Viburnum lentago</i>	Nannyberry	4 m		dry, mesic, moist	
<i>Viburnum acerifolium</i>	Maple-leaved Viburnum	1-2 m		dry, mesic, moist	
<i>Viburnum cassinoides</i>	Witherod/Wild Raisin	3 m		mesic	
<i>Viburnum dentatum</i>	Arrowwood	3 m		dry, mesic, moist	
<i>Viburnum rafinesquianum</i>	Downy Arrowwood	5-8 feet		mesic, moist	
<i>Viburnum trilobum</i>	American Highbush Cranberry	4 m		dry, mesic	
<i>Xanthoxylum americanum</i>	Prickly Ash	8 m		dry, mesic	